



MASTERCOP 60SC

Fungicide for the control of early blight and late blight on tomatoes, halo blight, angular leaf spot, anthracnose and rust in French beans, black rot, black leg and soft rot in broccoli, Coffee Berry Disease and Coffee Leaf Rust in coffee and downy mildew in roses.
 Mastercop 60 SC inhibits early blight na late blight kwenye nyanya, Halo blight, angular leaf spot, anthracnose and rust kwenye French beans, Black rot, black leg na soft rot kwenye Broccoli pamoja na Coffee Berry Disease, Coffee Leaf Rust na downy mildew kwenye waridi leg and soft rot in Broccoli.

GUARANTEE (DHAMANA):
 Copper sulphate pentahydrate 213.6.g/l (equivalent to 60 g copper /L)

Commercial and Agricultural class • Kundi la biashara na kilimo
 Registration number/Namba ya Usajili: PCPB (CR) 1424

READ THE LABEL BEFORE USING. KEEP LOCKED AWAY FROM CHILDREN, FOOD AND ANIMAL FEEDSTUFF.
 (SOMA MAELEZO KABLA YA KUTUMIA, WEKA MBALI NA WATOTO, VYAKULA NA VINYWAJI)

Batch Number (Nambari ya kifurushi):

Date of Manufacture (Tarehe ya kutengenezwa):

Expiry date (Tumia kabla ya):

Shelf life: Two years from date of manufacture if kept in unopened original container and in a cool dry place.

Maisha Rafuni: Miaka miwili baada ya kutengenezwa kama imehifadhiwa kwenye chombo chake halisi ambacho hakijafunguliwa mahali pakavu na pasipo na joto.

In case of poisoning call toll free 0800 730030/720021 (24 hours)
 Ikiwa kuna replace with kusumika piga simu bila malipo 0800 730030/720021 (masaa 24)



Manufactured by / Imetengenezwa na:
 Ingeniería Industrial, S.A. de C.V.
 Potrerillos No. 6
 Col. Parque Industrial Nezahualcoyotl
 57810, Nezahualcoyotl, México

Local Agent/Wakilishi:
 Adama Agriculture East Africa Ltd
 P.O. BOX 40034 Nairobi 00100 Kenya
 Web: www.adama.com/east-africa

Distributed by/Wazambazaji:
 CropTech (K) LTD
 P.O. Box 137-00618
 Ruaraka, Nairobi
 Tel. +254 722 703 911



1 L

Expiry date
 Date of Manufacture SEE PACKING
 Batch Number



ADAMA



MAELEZO

Mastercop 60 SC inadhibitibl early blight na late blight kwenye nyanya, Halo blight, angular leaf spot, anthracnose and rust kwenye French beans, Black rot, black leg na soft rot kwenye Broccoli pamoja na Coffee Berry Disease, Coffee Leaf Rust na downy mildew kwenye waridi.

Jinsi inavyofanya kaz: Copper ni dawa za kuangamiza 'fungi' kwa kupitia majani.

Jinsi ya kutumia: Changanya na maji kulingana na kiwango kilichoandikwa kisha unyunyize kwenye majani ya nyanya, maharagwe na broccoli.

Kuchanganya na wakati wa kutumia: Weka kipimo kinachofaa cha dawa ya MASTERCOP 60SC kwenye maji na unyunyizie kwenye mimea ili kukinga dhidi ya fungi. Usitumie kwenye mimea ambayo tayari imeambukizwa ugonjwa.

Kipimo:

Mmea	Ugonjwa	Kipimo kwenye hektari katika lita 1000 za maji	Kipimo katika lita 20 za maji	Mara za kunyunyiza
Nyanya	Early Blight na Late Blight	Lita 1	Mililita 20	Mara 4 ukingoja siku 10 kabla ya kunyunyiza tena
French beans	Halo Blight, Angular leaf spot, Anthracnose and Rust	Lita 1	Mililita 20	Mara 3 ukingoja siku 10 kabla ya kunyunyiza tena
Broccoli	Black Rot, Black Leg and Soft Rot	Lita 1	Mililita 20	Mara 3 ukingoja siku 10 kabla ya kunyunyiza tena
Kahawa	Coffee Berry disease	Lita 2	Mililita 40	Mara za kunyunyiza ngonja week nne
	Coffee Leaf Rust	Lita 2	Mililita 40	Mara za kunyunyiza ngonja week tatu
Waridi	Downy Mildew	Lita 1.5	Mililita 30	Mara 4 ukingoja siku 10 kabla ya kunyunyiza tena

Muda wa kungoja kabla ya kuvuna nyanya, French beans, broccoli na kahawa: Siku 0

Hadhari inapotumia: Weka mbali na watoto, wanyama na chakula cha watu na wanyama. Yaweza kuleta muwasho kwenye mapua, koo, macho na ngozi. Tumia 'overall', mipira ya mikono na vazi la kufunika uso. Usile, kunywa wala kuvuta sigara utumiapo dawa.

Kuchanganya kwa usalama: Epuka kugusana na dawa unapoichanganya. Vaa 'overall', mipira ya mikono na vazi la kufunika uso unapoichanganya.

Kunyunyizia kwa usalama: Vaa mavazi ya kujikinga na dawa unaponyunyizia. Usijichafue na maji ya dawa. Hakikisha upopo hauisukumi dawa upande wako.

Usalama baada ya kutumia: Nawa mikono na mwili vizuri. Usitumie mkebe mtupu kwa kazi ingine yoyote. Tupa nyema mkebe mtupu.

Muda kabla ya kuvuna: Hamna muda wa kungoja kabla ya kuvuna nyanya.

Uhifadhi: Weka na kufungia MASTERCOP 60SC mbali na watoto na wanyama. Weka mahali pakavu ambapo kipimo cha joto hakizidi 30°C. Weka mbali na moto na ndimi zake. Hakikisha dawa hazisongomani kwenye stoo.

Kutupa: Usitumie kifaa kilichokwuwa na dawa hii kwa namna nyingine yoyote. Osha mikebe mara tatu kwa kutumia maji kisha utupe kulingana na sheria za utupaji.

Ikiuju au Ikimwigika: Funika au zika dawa iliyomwigika kwa mchanga au vumbi ya mbaa.

Kusanya mchanganyiko huo na utupe kulingana na sheria za utupaji. Osha kabisa sakafu iliyochofuka kwa maji na sabuni.

MASHARTI YA HUDUMA YA KWANZA:

Simamisha kazi mara moja. Chunguza kama kuna dalili za uchovu. Toka pahali palipo chafuliwa na dawa. Vua nguo ikiwa zimechafuliwa. **Ikimezwa**, usilazimishe muathiriwa kutapika. Peleka muathiriwa hospitalini na uoneshe daktari kibandiko hiki. **Ikiingia machoni**, osha mara moja kwa maji mengi na mpeleke mjeruhi kwa daktari haraka sana. **Ikigusa ngozi**, vua mavazi iliyoguzwa na uoshe kwa maji mengi na sabuni. Kisha osha tena na maji yasiyo na moto kabisa. Maumivu yakizidi, mpeleke mjeruhi kwa daktari. **Ikivutwa wakati wa kupumua**, mwadhiriuwa na umweke mahali penye hewa safi. Hakikisha muathiriwa hahisi baridi. Tafuta matibabu zaidi.

PELEKA MJERUHI KWA DAKTARI

Ikiwa kuna kusumika piga simu bila malipo 0800 730030/720021 (masaa 24)

ILANI KWA MUTUMIAJI: Dawa hii lazima itumike kulingana na maelezo yaliyoko katika kibandiko hiki. Ni hatia chini ya sheria za viuadudu kuitumia au huhifadhi dawa hii kwa njia nyingine kinyume na ile ilyoelezewa hapa.

THIBITISHO: Dhamana ya muuzaji imeshauriwa na masharti yaliyowekwa kwenye kijikaratasi na label. Muuzaji hahusiki kamwe na madhara yoyote yanayotokana na utumiaji wa dawa hii kwa njia zinazohatarisha maisha.

Manufactured by / Imetengenezwa na:

Ingeniería Industrial, S.A. de C.V.
Potrerillos No. 6
Col. Parque Industrial Nezahualcoyotl
57810, Nezahualcoyotl, México

Shelf life: Two years from date of manufacture if kept in unopened original container and in a cool dry place.

Local Agent/Wakilishi:

Adama Agriculture East Africa Ltd
P.O. BOX 40034 Nairobi 00100 Kenya
Web: www.adama.com/east-africa

Maisha Rafuni:
Mwaka miwili baada ya kutengenezwa kama imehifadhiwa kwenye chombo chake halisi ambacho hakijafunguliwa mahali pakavu na pasipo na joto

Distributed by/Wazambazaji:

CropTech (K) LTD
P.O. Box 137-00618
Ruaraka, Nairobi
Tel. +254 722 703 911



FUNGICIDE/BACTERICIDE

ADAMA
ADVANCED



Expiry date
Date of Manufacture
Batch Number SEE PACKING

ADAMA



DESCRIPTION - Fungicide for the control of early blight and late blight on tomatoes, halo blight, angular leaf spot, anthracnose and rust in French beans, black rot, black leg and soft rot in broccoli, Coffee Berry Disease and Coffee Leaf Rust in coffee and downy mildew in roses.

Mode of action: MASTERCOP 60SC is a foliar bactericide/fungicide with preventive action. Deposits must be on the crop before fungal spores begin to germinate. Copper-II ion (Cu^{++}) is taken up by the spores during germination and accumulates until a sufficiently high concentration is achieved to kill the spore cell; the activity is limited to the prevention of spore germination.

Directions for use: Mix with water at the recommended rates and foliar apply on tomatoes. Fill the tank mix with water to half volume. Add the recommended quantity of MASTERCOP 60SC. Fill the tank mix to full volume and mix well before application.

Application rates:

Crop	Disease	Rate/ha in 1000 L of water	Rate in 20 L of water	Repeat applications
Tomato	Early Blight na Late Blight	1 L	20 mL	Spray once every 10 days and a maximum of 4 times in a season.
French beans	Halo Blight, Angular leaf spot, Anthracnose and Rust	1 L	20 mL	Spray once every 10 days and a maximum of 3 times in a season.
Broccoli	Black Rot, Black Leg and Soft Rot	1 L	20 mL	Spray once every 10 days and a maximum of 3 times in a season.
Coffee	Coffee Berry disease	2 L	40 mL	Spray once in 4 weeks
	Coffee Leaf Rust	2 L	40 mL	Spray once in 3 weeks
Roses	Downy Mildew	1.5 L	30 mL	Spray once every 10 days and a maximum of 4 times in a season

Pre-harvest interval for tomatoes, French beans broccoli and coffee: 0 days.

Use Limitations: In roses, it is advised to test the effect on your specific variety

Handling precautions: Keep locked up and out of reach of children. Keep only in the original container in a cool, well-ventilated place. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin and eyes. Do not eat, drink or smoke while handling the product.

Safety when mixing: Wear protective clothing when mixing.

Avoid contamination from spray liquid by spillage and drift.

Safety when spraying: Wear protective clothing when spraying.

Avoid contamination from spray liquid by spillage and drift.

Safety after spraying: Wash hands and body thoroughly after spraying. Do not reuse the empty container. Dispose the container safely.

Pre-harvest interval: 0 days for tomatoes.

Storage: Store MASTERCOP 60SC under lock and key and out of reach in a cool dry place away from food, feed, children and animals and from direct sunlight. Store below 30°C.

Disposal of waste and empty containers: Dispose in accordance with national regulations. Do not allow material to enter sewers or bodies of water. Triple rinse the containers. Do not re-use the empty containers for any other purpose.

Leakage and spillage: If leakage of the liquid or spray mix occurs, soak up material with sand, soil or sawdust. Collect this contaminated material and dispose in accordance with national regulations.

FIRST AID MEASURES: **Skin contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Eye contact: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.

Inhalation: Move person to fresh air. If person is not breathing, call an ambulance, and then give artificial respiration, preferably mouth-to-mouth if possible.

Ingestion: If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control centre or doctor. Do not give anything to an unconscious person.

TOXICOLOGICAL INFORMATION / NOTE TO DOCTOR:

Symptoms of poisoning: It may cause some irritation to the eyes. When ingested, it has a metallic taste and in large amounts may cause nausea, vomiting and stomach pain.

Antidote: No specific antidote

Note to the Physician: Treat symptomatically and give supportive therapy.

In case of poisoning call toll free 0800 730030/720021 (24 hours)

NOTICE TO USER: This pest control product is to be used in accordance with the direction on this label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

WARRANTY: Seller's guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Manufactured by / Imetengenezwa na:

Ingeniería Industrial, S.A. de C.V.
Potrerillos No. 6
Col. Parque Industrial Nezahualcoyotl
57810, Nezahualcoyotl, México

Local Agent/Wakilishi:

Adama Agriculture East Africa Ltd
P.O. Box 40034 Nairobi 00100 Kenya
Web: www.adama.com/east-africa

Distributed by/Wazambazaji:

CropTech (K) LTD
P.O. Box 137-00618
Ruaraka, Nairobi
Tel. +254 722 703 911



Shelf life: Two years from date of manufacture if kept in unopened original container and in a cool dry place.

Maisha Rafuni:
Mwaka miwili baada ya kutengenezwa kama imehifadhiwa kwenye chombo chake halisi ambacho hakijafunguliwa mahali pakavu na pasipo na joto



ADAMA
ADVANCED

Expiry date
Date of Manufacture SEE PACKING
Batch Number

ADAMA